



Window Facing High Brightness Display

Outstanding visibility high brightness

With a great high brightness of 1,500~3,000 cd/m2, makes perfect display performance under the sunlight, which is the ultimate display for outdoor visibility.

Ultimate high definition 4K Resolution

With great 4K resolution ratio, impressive the potential customer with perfect content.

Quiet Operation Fan-less Design

For normal high brightness display products need a powerful cooling fan system, but our product just get noise level which under 25dB, which is quieter then the daily conversation.

Space Efficiency Slim Design

Super thin depth, just gets 75 mm which leads to space efficiency in an in-window environment.

Commercial Grade

Designed for use in commercial applications this There are no external buttons tampering.

Network CMS Upgrade

We also offer cloud basis network CMS if required, and you can run screen can run 24/7 the third party Digital Signage software via our Android PC board too. or controls to avoid

HDMI input support

High definition HDMI connector support 1080P content input, no headache for different demands from your client anymore.

Auto brightness control

Integrated high sensitive sunlight sensor inside, it would change the brightness of the panel automatically.



Sunlight
Readable



24/7Us
age



Landscape
or Portrait



Android



HDMI Input



Plug and
Play




Fan-less
design




4K
resolution
ratio

Product Application



Product Features



1500~3000 cd/m2 High Brightness

Out standing visible high brightness



4K Resolution


Ultimate 4k high definition resolution



No Noise


Fan-Less Design

Fan-less design makes the operation noise less then 25dB



Auto Brightness Control

Brightness would be auto adjust via the ambient light



Space Efficiency Design

Super slim body just get 39 mm only!



Build In CMS

Integrated Multiple CMS inside already!

Specification sheet

Panel	Display Size(inch)	43"	49"	55"	
	Resolution	3840*2160 (16:9)	1920x1080 (16:9)	1920x1080 (16:9)	
	Active Display Area(mm)	941.2(H) x529.4(V)	1073.5(H) x 603.0(V)	1209.6(H) x 680.4(V)	
	Aspect Ratio	16:09	16:09	16:09	
	Brightness(cd/m2)	3000nit	3000nit	3000nit	
	Contrast Ratio(Typ.)	1000:1	1000:1	1000:1	
	Viewing Angle(H/V)	178/178			
	Color	16.7M			
	Response Time(G-to-G)	6ms			
	Operation Hour	24/7			
Sound	Loud Speaker	5W, 8Ω (2sets)			
Power	Type	Internal			
	Power Supply	AC 100 - 240 V~ (+/- 10 %),50/60 Hz			
	Power Consumption	Max[W/h]	180	210	240
		Sleep mode	less than0.5W		
Off mode		less than0.5W			
Mechanical Spec	Protection Glass	Yes			
	Stand Type	Wall-mounted			
Environmental	Operating Temperature	-10°C ~ 30°C			
	Storage Temperature	-20°C ~ 55°C			
	Operating Humidity	10% ~ 80 %			
	Storage Humidity	5% ~ 95%			
OS	Android Media Player	Processor	Rockchip® RK3368 (1.8GHz, octa core)		
		RAM	4G		
		Flash	8G EMMC		
		USB	USB2.0 HOST(X2)		
		LAN	10M/100M Ethernet(Network version screen only)		
		External memory	8GB SD card(up to 32G)		
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)		
		Media Resolution	1920*1080		
		Wi-Fi	802.11b/g/n Ethernet(Network version screen only)		
		Operating System	Android 7.1		
Certification	Safety	CE			
Accessories	Included	Scheduling software, Remote control, Key, Power cable, SD card,Wall mount bracket			
	Quality assurance	1 year (2-3 years optional)			
	Type of packaging	Carton box /honeycomb box + wooden case			