

ΑΔΙΑΒΡΟΧΗ LCD ΟΘΟΝΗ 55" ΕΞΩΤΕΡΙΚΟΥ ΧΩΡΟΥ

PRODUCT FUNCTION INTRODUCTION

Outdoor Digital Signage




— front —

— Oblique side —



— Side —

— Back —



Five kinds of safety protection

Picture quality is clear

- 1** Three-level door protection, hidden screw design, no leakage removable screws.
- 2** Galvanized steel + outdoor powder table shell, the average thickness of sheet about 1.5mm
- 3** Machine reinforcement, Anti-strong wind.
- 4** AR tempered glass protection, effective protection of the screen.
- 5** Three composite density seal, multi-angle waterproof with long life.



Intelligent temperature control system

Air conditioning / air-cooled, dual choice,
automatic temperature control,
the machine long-term normal operation

Air-cooled type

Adapt to $-20^{\circ}\text{C} \sim 50^{\circ}\text{C}$ working environment, the system automatically adjust the temperature inside the box to reduce the high temperature blackening, fog screen and other anomalies.





Smart cloud background
Cloud service operation,
real-time display of
information changes



Intelligent split screen technology



Intelligent split screen technology to achieve a single machine multicast screen area arbitrary division, the size of the window free to adjust

Built-in stereo speaker



4K resolution—



Product details

